



## **Referenced Standard Test Methods**

- ASTM E-96: Standard Test Method for Water Vapor Transmission of Materials, Procedure A (see pages 7,12,16,21).
- ASTM G-95: Standard Test Method for Resistance to Cathodic Disbondment by the Attached Cell Method (see pages 7,12,14,22,26).
- ASTM B-117: Standard Test Method of Salt Spray (Fog) Testing (see pages 7,11,12,14,16,22,25).
- ASTM G-14: Standard Test Method for Impact Resistance of Pipe Line Coatings (see pages 13,14,27)
- ASTM D-714: Standard Test Method for Evaluating Degree of Blistering of Paints (see pages 7,11,14,16).
- ASTM F1476-95a: Gasketed Mechanical Joint Vacuum Test (see page 20)
- ASTM D-1308: Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Finishes (chemical soak test with nine test solutions) (see pages 14,22,23,24)
- SSPC-PA-2: Standard Method for Determination of Film Thickness, Steel Structures Painting Council (see page 8)
- EPA 1311: Environmental Protection Agency Test Method for Toxicity Characteristics Leaching Procedure (see page 29).
- EN 598: European Standard for Ductile Iron Pipe fittings, accessories, and their joints for sewerage applications. Section 7.8 Abrasion Resistance (see page 7,11,13,15,17).

All page numbers refer to the booklet PROTECTO 401 Ceramic Epoxy™ Standard For Lining Ductile Iron Pipe and Fittings For Sewer Service. To receive a free copy of this booklet, please call or email your request to INDURON Coatings.